

Article

Ecotoxicty of 3D printing material Polylactic Acid (PLA) on sea urchin *Paracentrotus lividus*

Özlem Çakal Arslan*, Kaan Arslan, Başak Topçu

Department of Marine and Inland Water Science and Technology, Ege University, Bornova 35100, İzmir, Turkey

* Corresponding author: Özlem Çakal Arslan, ozlem.cakal@ege.edu.tr

CITATION

Çakal Arslan Ö, Arslan K, Topçu B. Ecotoxicty of 3D printing material Polylactic Acid (PLA) on sea urchin *Paracentrotus lividus*. Journal of Toxicological Studies. 2024; 2(1): 1326.

https://doi.org/10.59400/jts.v2i1.1326

ARTICLE INFO

Received: 25 April 2024 Accepted: 16 May 2024 Available online: 18 June 2024

COPYRIGHT



Copyright © 2024 author(s).

Journal of Toxicological Studies is published by Academic Publishing
Pte. Ltd. This work is licensed under the Creative Commons Attribution (CC BY) license.

https://creativecommons.org/licenses/by/4.0/

Abstract: In this study the ecotoxicity of 3D printing material [polylactic acid (PLA) investigated with marine echinoderm; sea urchin *Paracentrotus lividus*. To achieve this goal, (i) fertilization success, spermiyotoxicity and embriyotoxicity exposed to PLA concentrations (0.001, 0.005, 0.01, 0.1 and 1 g/L) were assessed for 72 h. For this purpose, our study is important to make comprehensive evaluations to ensure the safety of bioplastic formulations and to take measures to regulate the use of additives. At the same time, the additive used to increase the durability of bioplastic materials will also allow us to understand the long-term effects on ecosystems, wildlife and human health. Our aim is to minimize possible harm and ensure that the overall environmental impact of bioplastics remains positive.

Keywords: 3D printing; Polylactic Acid (PLA); sea urchin

1. Introduction

Today's studies aim to reduce overall plastic consumption and at the same time minimize its impact on ecosystems [1,2]. New methods are being developed to reduce plastic pollution, and the most striking of these is bioplastics, which are a sustainable alternative. Bio-based plastics are widely used as a replacement for traditional plastics in various applications such as packaging, automotive parts and consumer goods, thus reducing greenhouse gas emissions from fossil fuels [3]. The use of 3D printers has been increasing rapidly, which are used with raw materials in the rapid manufacturing of devices. Because of this, it has enabled the mass introduction for use at different levels. 3D printers and bioplastics offer new opportunities for applications in fields such as medicine [4] Biopolymers has attracted great attention in the fields of sustainable packaging, energy storage, biomedicine, and textiles [2]. Polylactic acid (PLA) is considered the most prominent bioplastic due to its physicochemical properties, low price and cheapness. PLA has been reported as an environmentally friendly compounds [4,5]. Although it is stated that it is biodegradable, Biodegratadion of PLA not occurred at normal environmental coditions on marine environment [2,6]. It is important to note that not all biodegradable plastics are suitable for all environments. Some require specific conditions such as higher temperatures facilitate their breakdown [7]. In conclusion, bio-based and biodegradable plastics offer potential benefits for environmental sustainability compared to traditional petroleumbased plastics. However, it is essential to understand their properties and limitations properly and implement appropriate waste management practices to maximize their positive impact on reducing plastic pollution. Many studies focused on microalgae [8], mollusks, and fish [9,10] but no data available on marine echinoderm are still scarce.

For this reason, the ecotoxicological effects of PLA on *Paracentrotus lividus* were determined. Investigations of hazardous effects on early developmental stages of aquatic organisms have great importance due to the protection of the natural population's health. The *P.lividus* sea urchin is found across various European waters and plays a important role in conversation of marine ecosystems. Its life cycle, including the release of mature gametes directly into seawater and pelagic larval stages, makes it an important species for understanding the impacts of contaminants on marine environments [7]. Furthermore, this work delves into investigating the potential toxicity of commercial products 3D printing filament (PLA) shortly after their introduction to markets when they are released or disposed into seawater. Specifically focusing on PLA because of this material used by children in the school for education. This study employs *Paracentrotus lividus* as a model organism to examine the effects of these material.

2. Materials and methods

Test mediums were prepared by adding the small piece (100 µm) PLA directly to sea water; 0.001, 0.005, 0.01, 0.1 and 1 g/L test concentrations. Test concentrations were selected as environmentally relevant concentrations. Control group were untreated negative controls (filtered natural seawater = FSW from the same area of sea urchins). 3x10-4M CdCl2 were used as a positive control. All treatments were tested six replicates. Adult Paracentrotus lividus were collected from the Aegean Sea coast (Seferihisar, Turkey) by hand with gently. Bioassays were carried out as described previously by Arslan and Parlak [11]. For Spermyotoxicty test, 50 µL sperm cell suspensions exposed to various PLA concentrations for 30 min before insemination. Changes in the fertilization success of exposed sperm were determined by scoring the percentage of fertilized eggs [11]. The embryotoxicity tests were carried out by added the 1 mL fertilized egg suspension in FSW with increasing PLA concentrations throughout development (The room temperature:19 ± 2 °C). Embryotoxicity was assessed on 72-h old pluteus larvae according to morphological criteria defined by Arslan and Parlak [11]. A sample of 100 embryos was observed under a light microscope. Developmental defects were observed on living plutei, which were slowed down their mobilization in 10–4 M chromium sulfate, 72 h after fertilization.

Cytogenetic tests were carried out 6 h p-f and the embryos were fixed in Carnoy's solution (ethanol, chloroform, acetic acid; 6:3:1 V: V: V). 24 h after fixation, absolute ethanol was renewed and the samples were ready to be observed under a light microscope (1000×) with oil immersion. Mitotic activity (numbers of metaphase and anaphase) and chromosome aberrations (chromosome bridges, lagging chromosomes, multipolar spindles, free chromosome sets, fragmented chromosomes) were scored in each embryo, thus allowing to assess both quantitative endpoints and mitotic anomalies.

3. Statistical analysis

EPA Probit Analysis Program used for calculating LC/EC Values Version 1.5. Dunnets tests were used to compare the differences in the frequency distribution of the evaluated parameters (N: normal plutei, R: retarded plutei, P1: skeletal malformations,

P2: blocked gastrula or blastula and D: dead) between the negative control (FSW) and the treatment groups by applying the logarithmic transformation to normalize distributions. Statistical comprasions were performed using a one-way ANOVA, and significant differences were detected with Tukey's [12] and Dunnett's multiple comprasion test. The Statistica-6.0 computer programme was used in the data analysis [12].

4. Results and discussion

It was observed that sperms were exposed to PLA for 30 minutes, resulting in significant changes in their fertilization capacity (**Figure 1**). The fertilization rate was observed 100% in the control group. At the first concentration of 0.001g-PLA/L no change was observed. It was determined that fertilization did not have a negative effect on this amount of PLA. The fertilized egg rate decreased to 92% at 0.005 g-PLA/L. This ratio decreased to 86.33% at 0.01 g-PLA/L in parallel with the increase in the amount of PLA, and to 59% at the final concentration of 1g-PLA, with a decrease of approximately 43% (**Figure 2**). The impact of PLA on fertilization was determined as EC50 0.49 g/L PLA by probit analyses **Table 1**. The scores of developmental defects of larvae showed that offspring quality was significantly decreased (**Figures 3** and **4**) at all concentrations tested (p < 0.0001). EC50 value of PLA was estimated as 0.215 g/L for spermyotoxicity as shown in **Table 1**. This result bring us a conclusion that the PLA has less effects on fertilization success of sperms but extreamly decreased offspring quality of exposed sperms became more important from the ecotoxicological point of view.




Figure 1. Effects of PLA on fertilization success (A: Fertilized egg, B: Non fertilized egg).




Figure 2. Effects of PLA on fertilization success.

Table 1. EC50/LC50 Levels of PLA on Sea urchin *P.lividus*.

Results of biotest	EC50/LC50 levels (g-PLA/L)	
Fertilization success	0.49	
Offspring quality	0.215	
Embryotoxicty	0.087	




Figure 3. Spermyotoxicity after PLA exposure in *P. lividus* sea urchin sperm. Offspring quality percentage of *A. lixula* embriyos.




Figure 4. Developmental effects of PLA on sea urchin and normal pluteus. (N: Normal Plutei, P1; Skeletel deformaties, P2: blastula/gastrula blocked embryo, R: Retarded embryo).

Results of embryotoxicty tests, significant effects were observed at concentrations ranging from 0.001 to 1 g/L-PLA. The embryotoxicity tests shows the classic dose-response curve indicating a decreased percentage of normal larvae development with increasing PLA concentrations (**Figure 5**). The impact of PLA on exposed embryos was estimated as EC50 0.087 g/L PLA concentration by probit analyses. According to the toxicity criteria of Arslan and Parlak [11] at 0.01 g-PLA/L, the normal pluteus frequency decreased by approximately 20% to 80%. In parallel with this decrease, the frequency of individuals with deformation in the skeletal system increased by 23%. It has been determined that this concentration is toxic according to the frequency of pluteus with developmental disorders [11].




Figure 5. Embyotoxic effects of PLA on *P.lividus*.

Concentrations g-PLA/L

The cytogenetic results for PLA are shown in **Figure 6** as shown in **Figure 6** ratio of metaphase and anaphase were significantly decrease. Furthermore, mitotic activity in the embryos were inhibited at $0.01~\rm g/L$ (p < 0.05) and $1~\rm g/L$ -PLA (p < 0.001). **Figure 7** showed that the number of Interphase Embryos (IE) differed at $0.01~\rm to~1~\rm g$ -PLA/L. It is increased at high PLA concentrations. As shown in **Figures 6–8**, a significant difference was observed in average total mitotic aberrations in embryos exposed to $0.001~\rm to~1~\rm g$ -PLA/L compared to controls.




Figure 6. Cytogenetic toxicity of PLA on embryos. Metaphase/Anaphase ratio.




Figure 7. Cytogenetic toxicity after PLA exposure. Percentages of interphase embryos.




Figure 8. Cytogenetic toxicity after PLA exposure in *P. lividus* sea urchin embryos. Percentage of affected embryos (percent embryos having ≥ 1 mitotic aberrations).

3D Polylactic acid (PLA) based printers are increasing their use and popularity worldwide However, this technology also causes environmental pollution, especially microplastic pollution in the aquatic environment [13]. Reported by Rodríguez-Hernandez et al. [14], the formation of nanoplastic pollution as a result of the cleaning process of the products taken from the 3D printer and their physicochemical characterization were reported. As a result of the study, they reported that nano-sized plastic particles easily enter the aquatic environment and that these residues aggregate around 1 mm on average in seawater. At the same time, researchers have stated that the resulting and clumping nanoplastics interact with pH and other positively charged pollutants, becoming an unexpected environmental problem and public health risk. Previous studies have reported that biodegradable microplastics (PLA), which are used extensively to reduce microplastic pollution, cause a toxicity similar to microplastics. In the study conducted by Green [15] PLA potentially negatively affects the oyster Ostrea edulis as much as traditional microplastics. In addition, PLA hazardous effects on the life and health of Danio rerio, Mytilus edulis, Microcosmus exasperates and Daphnia magna. And also causes oxidative stress, reproductive problems, intestinal damage, immunosuppression. have been reported [15–17].

It has been stated by many researchers that the PLA used in 3D printers are potentially toxic [18]. Many toxicity studies have shown that print parts and leachates of 3D printers are contaminated with *Daphnia magna* [19,20]. The aim of our study is to investigate the toxic effects of PLA on sea urchin *P. lividus* in both acute and chronic periods. Montalvão [6] reported in their study that although PLA is considered biodegradable due to its microbial origin, it almost does not decompose in aquatic environments. For this reason, ecotoxicity studies conducted in recent years have focused on the damages and risks that 3D printer raw materials may cause as a result of unconscious and incorrect use. The study by Bagheri et al. [2] reported that the ecotoxicity of PLA on *Daphnia magna*. According to result of An et al., [21] study, the survival rate for *D. magna* declined to 52.4%, and end of Chronic exposure at 1 and 5 mgL⁻¹ PLA caused a decrease of offspring. This study contributes that biodegradable microplastics (PLA) toxic effects on *D. magna* which could be similar to conventional Microplastics effects on aquatic organism. When our results compare

with An et al., [21] research similar results were observed. In our results PLA exhibited the fertilization and normal development and also cause a genetic hazards at sea urchin. In conclusion, Previous studies and our study showed that the importance of PLA contaminations. Balentine et al. [22] investigated the acute and chronic toxicity of 3D printer resin against Ceriodaphnia dubia and as a result, it was reported that the LC50 value varied between 2.6 and 33 mg/L as a result of 48-hour acute toxicity tests. Researchers have also determined that 3D printing resin inhibits growth with IC25 values of 0.33 to 16 mg/L. Uribe-Echeverría and Beiras [23] were tested the effects of a polyvinyl chloride (PVC) toy polylactic acid containers (PLA), and polylactic acid/polyhydroxyalkanoate 3D printing filament (PLA/PHA) using Paracentrotus lividus sea urchin larvae. As a result of their study, they reported that the PVC toy was very toxic, whereas PHB showed mild toxicity, even though it was considered a nontoxic polymer. Uribe-Echeverría and Beiras [23] exposed sea urchin embryos to the 3D printing material PLA and stated that, unlike our study, PLA containers and PLA/PHA filament were harmless to the larvae. The reason for this result is probably that the researchers used the materials diluted, whereas in our study we carried out the tests by adding them directly to the medium. It has been reported by several researchers that PLA is acutely toxic to algae. Li et al. [8] reported that PLA caused a inhibition of growth on Skeletonoma costatum and also they concluded that the exposure of S. costatum to 0.1, 0.2, 0.3 and 0.5 mg/L PLA induced significant reduction of Chl a content. A lack of information about the toxicity of PLA to the developmental stages of the sea urchin P. lividus was observed.

5. Conclusion

It can be concluded that PLA affect the *P. lividus* during reproduction and embryonic developmental stages. As a result of biotests conducted with the PLA printing filament tested in this study, it was revealed that it negatively affected fertilization, sperm, embryos and mitotic stages, and revealed the need for the use of already commercialized, safe biobased and biodegradable products and attention in waste management.

Author contributions: Conceptualization, ÖÇA and KA; methodology, ÖÇA; software, ÖÇA and KA; validation, ÖÇA; formal analysis, ÖÇA; investigation, ÖÇA, KA and BT; resources, ÖÇA, KA and BT; data curation, ÖÇA and KA; writing—original draft preparation, ÖÇA; writing—review and editing, ÖÇA; visualization, KA and BT; supervision, ÖÇA; project administration, ÖÇA; funding acquisition, ÖÇA. All authors have read and agreed to the published version of the manuscript.

Conflict of interest: The authors declare no conflict of interest.

References

- 1. Aznar M, Ubeda S, Dreolin N, et al. Determination of non-volatile components of a biodegradable food packaging material based on polyester and polylactic acid (PLA) and its migration to food simulants. Journal of Chromatography A. 2019; 1583: 1-8. doi: 10.1016/j.chroma.2018.10.055
- 2. Bagheri AR, Laforsch C, Greiner A, et al. Fate of So-Called Biodegradable Polymers in Seawater and Freshwater. Global Challenges. 2017; 1(4). doi: 10.1002/gch2.201700048

- European Bioplastics. Bioplastics market data. Available online: https://docs.european-bioplastics.org/publications/market_data/2022/Report_Bioplastics_Market_Data_2022_short_version.pdf (accessed on 1 April 2024).
- 4. Ikada Y, Tsuji H. Biodegradable polyesters for medical and ecological applications. Macromolecular Rapid Communications. 2000; 21(3): 117-132. doi: 10.1002/(SICI)1521-3927(20000201)21:3<117::AID-MARC117>3.0.CO;2-X
- 5. Chiulan I, Frone A, Brandabur C, et al. Recent Advances in 3D Printing of Aliphatic Polyesters. Bioengineering. 2017; 5(1): 2. doi: 10.3390/bioengineering5010002
- Montalvão GR, Moshrefi-Torbati M, Hamilton A, et al. Behaviour of 3D printed PLA and PLA-PHA in marine environments. IOP Conference Series: Earth and Environmental Science. 2020; 424(1): 012013. doi: 10.1088/1755-1315/424/1/012013
- 7. Oliviero M, Tato T, Schiavo S, et al. Leachates of micronized plastic toys provoke embryotoxic effects upon sea urchin Paracentrotus lividus. Environmental Pollution. 2019; 247: 706-715. doi: 10.1016/j.envpol.2019.01.098
- 8. Li X, Luo J, Zeng H, et al. Microplastics decrease the toxicity of sulfamethoxazole to marine algae (Skeletonema costatum) at the cellular and molecular levels. Science of The Total Environment. 2022; 824: 153855. doi: 10.1016/j.scitotenv.2022.153855
- 9. Pagter E, Frias J, Kavanagh F, et al. Differences in microplastic abundances within demersal communities highlight the importance of an ecosystem-based approach to microplastic monitoring. Marine Pollution Bulletin. 2020; 160: 111644. doi: 10.1016/j.marpolbul.2020.111644
- 10. Expósito N, Rovira J, Sierra J, et al. Levels of microplastics and their characteristics in molluscs from North-West Mediterranean Sea: Human intake. Marine Pollution Bulletin. 2022; 181: 113843. doi: 10.1016/j.marpolbul.2022.113843
- 11. Arslan OC, Parlak H. Embryotoxic effects of nonylphenol and octylphenol in sea urchin Arbacia lixula. Ecotoxicology. 2007; 16(6): 439-444. doi: 10.1007/s10646-007-0147-z
- 12. Hocking RR. Methods and Applications of Linear Models. Regression and the Analysis of Variance. New York: Wiley; 1996.
- 13. Stephens B, Azimi P, El Orch Z, et al. Ultrafine particle emissions from desktop 3D printers. Atmospheric Environment. 2013; 79: 334-339. doi: 10.1016/j.atmosenv.2013.06.050
- 14. Rodríguez-Hernández AG, Muñoz-Tabares JA, Aguilar-Guzmán JC, et al. A novel and simple method for polyethylene terephthalate (PET) nanoparticle production. Environmental Science: Nano. 2019; 6(7): 2031-2036. doi: 10.1039/c9en00365g
- 15. Green DS. Effects of microplastics on European flat oysters, Ostrea edulis and their associated benthic communities. Environmental Pollution. 2016; 216: 95-103. doi: 10.1016/j.envpol.2016.05.043
- 16. Anderson G, Shenkar N. Potential effects of biodegradable single-use items in the sea: Polylactic acid (PLA) and solitary ascidians. Environmental Pollution. 2021; 268: 115364. doi: 10.1016/j.envpol.2020.115364
- 17. Zhang L, Huang C, Xu Y, et al. Synthesis and characterization of antibacterial polylactic acid film incorporated with cinnamaldehyde inclusions for fruit packaging. International Journal of Biological Macromolecules. 2020; 164: 4547-4555. doi: 10.1016/j.ijbiomac.2020.09.065
- 18. Mainwaring G, Foster JR, Lund V, Green T. Methyl methacrylate toxicity in rat nasal epithelium: studies of the mechanism of action and comparisons between species. Toxicology. 2001; 158(3):109-118. doi: 10.1016/S0300-483X(00)00332-2
- 19. Macdonald NP, Zhu F, Hall CJ, et al. Assessment of biocompatibility of 3D printed photopolymers using zebrafish embryo toxicity assays. Lab on a Chip. 2016; 16(2): 291-297. doi: 10.1039/c5lc01374g
- 20. Walpitagama M, Carve M, Douek AM, et al. Additives migrating from 3D-printed plastic induce developmental toxicity and neuro-behavioural alterations in early life zebrafish (Danio rerio). Aquatic Toxicology. 2019; 213: 105227. doi: 10.1016/j.aquatox.2019.105227
- 21. An G, Na J, Song J, et al. Chronic toxicity of biodegradable microplastic (Polylactic acid) to Daphnia magna: A comparison with polyethylene terephthalate. Aquatic Toxicology. 2024; 266: 106790. doi: 10.1016/j.aquatox.2023.106790
- 22. Ballentine M, Kennedy A, Melby N, et al. Acute and Chronic Toxicity of Uncured Resin Feedstocks for Vat Photopolymerization 3D Printing to a Cladoceran (Ceriodaphnia Dubia). Bulletin of Environmental Contamination and Toxicology. 2023; 110(3). doi: 10.1007/s00128-023-03698-5
- 23. Uribe-Echeverría T, Beiras R. Acute toxicity of bioplastic leachates to Paracentrotus lividus sea urchin larvae. Marine Environmental Research. 2022; 176: 105605. doi: 10.1016/j.marenvres.2022.105605