

# Nano-magnetism unleashed: Targeted healing in yoga and physiotherapy with magnetic nanoparticles

Noor Zulfiqar<sup>1,\*</sup>, Maryam Asif<sup>2</sup>, Hafiz Salman Tayyab<sup>3</sup>, Misbah Shaukat<sup>4</sup>, Humna Mehmood<sup>4</sup>, Fawad Inam<sup>5,6</sup>

<sup>1</sup> Department of Chemistry, Faculty of Science, University of Agriculture, Faisalabad 38000, Pakistan

<sup>2</sup> Department of Physiotherapy, Faculty of Rehabilitation Sciences, The University of Faisalabad, Faisalabad 38000, Pakistan

<sup>3</sup> Department of Applied Science, School of Science, National Textile University, Faisalabad 38000, Pakistan

<sup>4</sup> Department of Chemistry, Faculty of Science, University of Agriculture, Faisalabad 38000, Pakistan

<sup>5</sup> Oxford Business College, Oxford OX1 2EP, UK

<sup>6</sup> School of Architecture, Computing and Engineering, University of East London, London E16 2RD, UK

\* Corresponding author: Noor Zulfiqar, chemistnoor94@gmail.com, 2018ag3898@uaf.edu.pk

## ARTICLE INFO

Received: 11 May 2024

Accepted: 29 May 2024

Available online: 12 June 2024

doi: 10.59400/nmm.v3i2.1377

Copyright © 2024 Author(s).

Nano and Medical Materials is published by Academic Publishing Pte. Ltd. This article is licensed under the Creative Commons Attribution License (CC BY 4.0).  
<http://creativecommons.org/licenses/by/4.0/>

**ABSTRACT:** This review article explores the innovative applications of magnetic nanoparticles (MNPs) in yoga and physiotherapy for targeted healing. MNPs' unique magnetic properties enable precise treatment and minimal invasiveness, offering significant potential in medical applications. Recent studies highlight the promising integration of MNPs into yoga and physiotherapy, enhancing the efficacy of these interventions by precisely targeting affected areas. This review also examines nanotechnology's pivotal role in modern medical practices, showcasing MNPs' contributions to pain management and tissue regeneration. By analyzing current developments and future prospects, the article aims to inspire further research and innovation in MNP-based targeted healing within yoga and physiotherapy.

**KEYWORDS:** magnetic nanoparticles; targeted healing; yoga; physiotherapy; nanotechnology; medical applications

## 1. Introduction

Magnetic nanoparticles (MNPs) have revolutionized the field of medicine, offering targeted and efficient healing solutions. With their unique magnetic properties, MNPs have shown immense potential in various medical applications, including drug delivery, imaging, and tissue engineering<sup>[1]</sup>. Recent studies have investigated the integration of MNPs into yoga and physiotherapy, yielding promising results. This review article aims to provide an in-depth analysis of the current state of MNP-based targeted healing in yoga and physiotherapy, exploring the mechanisms of action, applications, and future directions. MNPs are tiny particles, typically ranging in size from 1–100 nanometers<sup>[2,3]</sup>, made of magnetic materials such as iron oxide, nickel, or cobalt. Their small size and magnetic properties make them ideal for interacting with cells and tissues at the nanoscale. MNPs can be engineered to respond to specific magnetic fields, allowing for precise control over their behavior and interactions with the body. The use of MNPs in medicine has several advantages, including targeted treatment, minimal invasiveness, and reduced side effects. MNPs can be designed to target specific cells, tissues, or organs, allowing for enhanced localized treatment. Additionally, MNPs can be used to deliver drugs, genes, or other therapeutic agents directly to the site of injury or disease, reducing systemic toxicity and improving treatment outcomes<sup>[4–7]</sup>. Furthermore, the integration of MNPs into yoga and physiotherapy opens up

new avenues for personalized and efficient healing strategies. By harnessing the unique properties of MNPs, practitioners can tailor treatment approaches to individual patient needs, optimizing therapeutic outcomes while minimizing adverse effects. This review seeks to explore the potential synergies between MNPs and traditional therapeutic modalities, paving the way for innovative and effective approaches to targeted healing in yoga and physiotherapy.


## 2. Methodology

The studies reviewed in this article were selected based on their relevance to the application of MNPs in medical and therapeutic contexts, particularly in yoga and physiotherapy. A comprehensive search was conducted in databases such as PubMed, Scopus, and Web of Science, focusing on recent studies from the past decade. The inclusion criteria included experimental studies, clinical trials, and review articles that provided insights into the efficacy, safety, and mechanisms of MNPs.

## 3. Targeted healing

Targeted healing involves the precise treatment of specific areas of the body, minimizing invasiveness and reducing side effects. Magnetic nanoparticles (MNPs) offer a versatile platform for achieving targeted healing in yoga and physiotherapy by virtue of their unique properties. MNPs can be tailored to target specific cells, tissues, or organs, facilitating enhanced localized treatment. In yoga and physiotherapy practices, MNPs hold the potential to revolutionize therapeutic approaches by addressing a range of conditions and promoting overall well-being. Specifically, MNPs can be utilized to enhance localized blood flow<sup>[8]</sup> and temperature control<sup>[9]</sup>, optimizing tissue oxygenation<sup>[10]</sup> and promoting healing processes. Furthermore, MNPs have demonstrated the ability to stimulate cellular regeneration and tissue repair<sup>[1,11,12]</sup>, fostering accelerated recovery from injuries or degenerative conditions. By reducing inflammation and pain<sup>[13,14]</sup>, MNPs contribute to improved comfort and mobility, enabling individuals to engage more effectively in rehabilitative exercises and yoga postures.


In a study by Li et al.<sup>[15]</sup>, iron oxide nanoparticle (NP)-labeled exosomes (Exo + NPs) were created from treated MSCs to address the issue of poor organ-targeting ability. These Exo + NPs significantly enhanced endothelial cell functions both in vitro and in vivo, promoting wound healing and reducing scar formation. The use of magnetic guidance facilitated the accumulation of Exo + NPs at the injury site, demonstrating their potential for effective cutaneous wound repair, illustrated in **Figure 1**<sup>[15]</sup>.



**Figure 1.** A schematic depiction illustrating the creation of exosomes with embedded nanoparticles (Exo + NPs) from labeled MSCs, followed by magnetic guidance for targeting injured skin in living organisms<sup>[15]</sup>.

A review by Lu et al.<sup>[16]</sup> emphasizes the crucial role of iron nanoparticles in wound healing due to their unique properties. Iron oxide nanoparticles, a primary component, exhibit antibacterial effects, release metal ions, and overcome bacterial resistance, aiding in wound healing. Magnetic iron

nanoparticles, particularly those smaller than 30 nm, can be superparamagnetic and offer novel functionalities like magnetization. Beyond wound management, iron nanoparticles may also address issues like anemia and glucose irregularities, thus positively impacting the healing process of chronic wounds depicted in **Figure 2**<sup>[16]</sup>.




**Figure 2.** Illustrates that integrating iron nanoparticles (NPs) with antibiotics in wound dressings reduces bacterial infections while minimizing antibiotic use. Superparamagnetic iron oxide nanoparticles (SPIONs) demonstrate superior membrane penetration with external magnetic fields, facilitating targeted antibiotic delivery and improved sterilization<sup>[16]</sup>.

Furthermore, MNPs can play a pivotal role in improving joint mobility and flexibility<sup>[17]</sup>, supporting individuals in achieving optimal physical function and performance. Additionally, MNPs facilitate wound healing<sup>[18]</sup> and tissue reconstruction<sup>[1]</sup> by promoting the proliferation of fibroblasts and enhancing extracellular matrix synthesis. Engineered to respond to specific magnetic fields, MNPs offer precise control over their behavior and interactions within the body, ensuring targeted treatment with minimal risk of systemic toxicity. Through the strategic application of MNPs in yoga and physiotherapy, practitioners can optimize treatment outcomes, enhance patient comfort, and promote holistic well-being. MNPs can be engineered to respond to specific magnetic fields, allowing for precise control over their behavior and interactions with the body. This enables targeted treatment of specific areas of the body, reducing the risk of systemic toxicity and improving treatment outcomes. For example, MNPs can be used to target specific areas of the body, such as the knees or hips, to reduce soreness and discomfort<sup>[13]</sup>.

## 4. Yoga and physiotherapy applications

Magnetic nanoparticles (MNPs) possess unique properties that make them valuable in physiotherapy. These nanoparticles, often made of materials like iron oxide<sup>[19]</sup>, respond to external magnetic fields, enabling targeted delivery of therapeutic agents or localized treatment<sup>[12,20]</sup>. **Figure 3** depicts the variances between systemic and localized drug delivery systems, along with their respective impacts.



**Figure 3.** Depicts the variances between systemic and localized drug delivery systems, along with their respective impacts<sup>[20]</sup>.


MNPs can be engineered to be biocompatible, reducing potential harm to the body. Their small size allows them to penetrate tissues effectively, making them suitable for various physiotherapy applications<sup>[21]</sup>. In physiotherapy, MNPs can be utilized for targeted drug delivery or as agents for magnetic hyperthermia<sup>[9]</sup>, where they generate heat to stimulate tissue repair<sup>[1]</sup>. Likewise, MNPs offer opportunities for real-time monitoring and feedback during physiotherapy sessions. For instance, magnetic resonance imaging (MRI) techniques can be employed to track the distribution of MNPs within the body<sup>[4]</sup>, providing valuable insights into treatment progress and tissue response. This capability allows for personalized adjustments to therapy protocols, ensuring optimal patient care. Research in the field of magnetic nanoparticles continues to expand, with ongoing efforts focused on enhancing their biocompatibility, stability, and targeting efficiency. Additionally, novel applications such as magnetically guided tissue regeneration<sup>[1]</sup> and magnetic stimulation for neuromuscular rehabilitation are being explored<sup>[22]</sup>. As these advancements progress, the integration of MNPs into physiotherapy practices holds great promise for improving patient outcomes and advancing the field of rehabilitation medicine.

Besides their role in drug delivery and hyperthermia<sup>[9]</sup>, magnetic nanoparticles (MNPs) are also being investigated for their potential in tissue engineering and regenerative medicine within physiotherapy<sup>[8]</sup>. MNPs can be functionalized to promote cell adhesion, proliferation, and differentiation, facilitating tissue repair processes. By incorporating MNPs into scaffolds or hydrogels used in tissue engineering, physiotherapists can create customized constructs that provide mechanical support while promoting targeted cellular responses<sup>[23]</sup>.

Furthermore, MNPs hold promise for non-invasive therapeutic modalities in physiotherapy. Magnetic stimulation techniques, such as magnetogenetics and magnetic field-induced tissue stimulation, are being explored as alternatives to conventional electrotherapy methods<sup>[24]</sup>. By utilizing MNPs as mediators of magnetic field interactions, physiotherapists can modulate cellular activity and neural pathways, offering new avenues for pain management<sup>[25–27]</sup>, muscle rehabilitation, and




neurorehabilitation. **Figure 4** shows schematic illustration of the various processes used to operate magnetic actuators, categorized by the kind of magnetic field (DC or AC) and the type of activation being employed.




**Figure 4.** Schematic illustration of the various processes used to operate magnetic actuators, categorized by the kind of magnetic field (DC or AC) and the type of activation being employed.

According to Hajba and Guttman<sup>[28]</sup>, MNPs can also be incorporated into therapeutic devices or materials used during rehabilitation exercises, enhancing their effectiveness. By harnessing the magnetic properties of MNPs, physiotherapists can precisely target specific areas of the body, optimize treatment outcomes, and minimize side effects. The development of wearable magnetic devices also opens up possibilities for home-based physiotherapy interventions. Patients can use wearable garments or patches embedded with MNPs to receive continuous therapy while going about their daily activities. **Figure 5** given below showcases the latest advancements in wearable technology for non-invasive diagnostic purposes.



**Figure 5.** Showcases the latest advancements in wearable technology for non-invasive diagnostic purposes<sup>[29]</sup>.

These devices can deliver targeted magnetic stimulation or facilitate controlled movement of affected joints, promoting recovery and improving patient compliance with treatment regimens<sup>[30–32]</sup>. **Figure 6** shows schematic diagram illustrating the structure modes and sensor types of NW-based sensors.



**Figure 6.** Schematic diagram illustrating the structure modes and sensor types of NW-based sensors.

Furthermore, MNPs are being investigated for their role in enhancing the diagnostic capabilities of physiotherapists. Magnetic particle imaging (MPI), a novel imaging modality, utilizes MNPs as contrast agents to produce high-resolution, real-time images of soft tissues. MPI offers advantages over traditional imaging techniques, such as MRI, including faster imaging times and improved sensitivity to specific tissue properties. By incorporating MPI into physiotherapy practice, therapists can accurately assess tissue damage, monitor treatment progress, and tailor interventions accordingly.

As research in the field of magnetic nanoparticles continues to advance, the integration of MNPs into physiotherapy holds immense potential for transforming rehabilitation practices. From targeted drug delivery to non-invasive stimulation techniques and advanced imaging modalities, MNPs offer a versatile toolkit for optimizing patient care and improving outcomes in physiotherapy. Collaborations between nanotechnologists, healthcare professionals, and physiotherapists will be essential for translating these innovations from the laboratory to clinical practice, ultimately enhancing the quality of care for patients undergoing rehabilitation. MNPs can be incorporated into various yoga and physiotherapy techniques, enhancing their effects and promoting targeted healing. Some examples include:

**Magnetic resonance therapy:** MNPs can be used to enhance the effects of magnetic resonance therapy, promoting relaxation and reducing pain and inflammation<sup>[25,33]</sup>.

**Magnetotherapy:** MNPs can be used to target specific areas of the body, stimulating cellular regeneration and tissue repair<sup>[12]</sup>.

**Bio-magnetic therapy:** MNPs can be used to support the body's natural magnetic fields, promoting balance and harmony<sup>[34]</sup>.

**Yoga and meditation with MNP-infused props:** MNPs can be incorporated into yoga props, such as blocks, straps, and blankets, to enhance the effects of yoga and meditation<sup>[28,35–37]</sup>.

**Physiotherapy exercises with MNP-based resistance bands:** MNPs can be used to create resistance bands that target specific muscle groups, promoting strength and flexibility<sup>[38–40]</sup>.

MNPs can also be used to enhance the effects of physical therapy, promoting faster recovery and improved outcomes. For example, MNPs can be used to target specific areas of the body, such as the knees or hips, to reduce swelling and throbbing, promoting faster recovery and improved mobility<sup>[41]</sup>.

## 5. Mechanisms of action

The mechanism of action of magnetic nanoparticles (MNPs) in targeted healing involves their unique physical properties and interactions with biological systems at the nanoscale. MNPs possess magnetic properties that enable them to respond to external magnetic fields, allowing for precise control over their movement and localization within the body. Functionalization of MNPs with targeting ligands facilitates specific binding to target cells or tissues, promoting selective accumulation at the desired site. Once localized, MNPs can enter cells through various mechanisms and interact with intracellular components, modulating cellular signaling pathways or delivering therapeutic payloads directly<sup>[42]</sup>. Additionally, MNPs can generate heat when exposed to alternating magnetic fields, inducing hyperthermia with therapeutic effects such as tumor ablation or enhanced drug release<sup>[9]</sup>. Overall, the multifunctional capabilities of MNPs, including their magnetic responsiveness, targeting specificity, cellular uptake, heat generation, and drug delivery abilities, contribute to their efficacy in targeted healing applications across various medical fields. MNPs interact with the body's natural magnetic fields, influencing cellular processes and tissue responses. The magnetic properties of MNPs enable:

**Magnetic resonance effects:** MNPs can resonate with the body's natural magnetic fields, promoting relaxation and reducing pain and inflammation<sup>[13,25–27]</sup>.

**Heat generation and thermal therapy:** MNPs can generate heat in response to magnetic fields, promoting thermal therapy and tissue repair<sup>[38]</sup>.

**Cellular signaling and stimulation:** MNPs can interact with cellular membranes, stimulating cellular signaling and regeneration<sup>[11,12]</sup>.

**Magnetic hyperthermia:** MNPs generate localized heat when exposed to an alternating magnetic field. This phenomenon is primarily due to Néel and Brownian relaxation processes within the nanoparticles. The heat generated can selectively destroy cancer cells or enhance tissue regeneration<sup>[1]</sup> through controlled hyperthermia. This method has been particularly effective in targeting and treating cancerous tissues without damaging surrounding healthy cells<sup>[43]</sup>.

**Enhanced drug delivery and targeting:** MNPs can be engineered to target specific cells or tissues, enhancing drug delivery and reducing side effects<sup>[6]</sup>. MNPs can also be functionalized with various therapeutic agents, including drugs, peptides, or nucleic acids. These functionalized MNPs can be directed to specific body sites using external magnetic fields, ensuring precise delivery of the therapeutic agents. Upon reaching the tumor, the MNPs can be triggered to release the drug in response to the magnetic field or environmental changes such as pH and temperature<sup>[44]</sup>. This targeted approach minimizes systemic side effects and enhances the therapeutic efficacy of the drugs delivered<sup>[45]</sup>.

**Magnetic resonance imaging (MRI) contrast enhancement:** Magnetic nanoparticles (MNPs) have significant applications in MRI due to their superparamagnetic properties, which can alter the relaxation times of protons in their vicinity. This mechanism enhances the contrast of MRI images, aiding in the early detection and diagnosis of various diseases, including tumors and cardiovascular conditions. The

efficiency of MNPs in MRI is largely due to their ability to affect both T1 and T2 relaxation processes, with iron oxide nanoparticles (IONPs) being particularly effective as T2 contrast agents<sup>[46–48]</sup>.

**Immunomodulation:** Magnetic nanoparticles (MNPs) can modulate immune responses by interacting with immune cells. Depending on their surface modifications and functionalization, MNPs can either stimulate or suppress the immune system. For instance, MNPs have been shown to reduce inflammation by polarizing macrophages to an anti-inflammatory M2 phenotype, which promotes tissue repair and healing. This polarization process is crucial for modulating the immune response and facilitating regenerative processes in damaged tissues<sup>[49,50]</sup>.

**Gene delivery:** MNPs can be used as vectors for gene delivery due to their ability to be functionalized with nucleic acids. They can deliver genetic material directly into cells when directed by a magnetic field, which is particularly useful in gene therapy for treating genetic disorders. They are conjugated with nucleic acids (DNA/RNA) and delivered to specific cells. The magnetic field guides the MNPs to the target cells where the genetic material is released, facilitating the correction of genetic defects or the expression of therapeutic proteins<sup>[51]</sup>.

**Cell tracking and labeling:** MNPs are used in cell tracking and labeling due to their magnetic properties, which allow them to be visualized using MRI. This application is crucial in tracking the distribution and migration of stem cells or immune cells in vivo, providing valuable information for regenerative medicine and immunotherapy. MNPs can be internalized by cells through endocytosis or direct labeling methods, enabling the real-time visualization of cell movement and localization within the body. This technique helps in monitoring the effectiveness of cell-based therapies and understanding cell behavior in different physiological and pathological conditions<sup>[52,53]</sup>.

**Photothermal therapy:** MNPs can also be employed in photothermal therapy (PTT). When exposed to near-infrared (NIR) light, the MNPs convert light energy into heat, causing localized hyperthermia that selectively kills cancer cells. This method combines the benefits of photothermal conversion with the magnetic targeting capabilities of MNPs, providing a dual-modal treatment approach<sup>[44]</sup>.

## 6. Safety and risks

While the potential benefits of MNP-assisted healing are significant, it is crucial to address safety concerns and potential risks associated with their use. The biocompatibility of MNPs and their long-term effects on human health and the environment must be thoroughly evaluated<sup>[54]</sup>. Comprehensive studies are needed to assess potential toxicity, immunogenicity, and biodistribution of MNPs following repeated or prolonged exposure<sup>[55]</sup>. Regulatory guidelines are essential to ensure the safe and ethical implementation of MNP-based interventions in clinical settings. Recent advancements have showcased the potential of MNPs to enhance the efficacy of yoga and physiotherapy interventions by enabling precise targeting of affected areas<sup>[56]</sup>. Studies have indicated that while MNPs can be highly effective, their interaction with biological systems must be carefully monitored. Potential toxicity, as well as the body's immune response to these nanoparticles, could pose significant risks if not properly managed<sup>[54]</sup>. Research into the biodistribution of MNPs is critical to understand how these particles move through and impact the body over time<sup>[57]</sup>. Regulatory frameworks are necessary to guide the clinical use of MNPs, ensuring that their application is both safe and effective.

## 7. Challenges and future directions

Despite the potential benefits of MNP-assisted healing, challenges such as biocompatibility,



targeting accuracy, and standardization of protocols need to be addressed. Future research should focus on optimizing MNP formulations, elucidating long-term safety profiles, and exploring novel applications in personalized medicine. Additionally, the scalability and cost-effectiveness of MNP production remain significant hurdles that must be overcome to facilitate widespread adoption of MNP-assisted therapies. Standardization of manufacturing processes and quality control measures are essential to ensure consistency and reproducibility across different MNP formulations and applications. Additionally, there is a need for comprehensive regulatory guidelines to govern the clinical use of MNPs in yoga and physiotherapy. Clear regulations will help mitigate potential risks and ensure the safe and ethical implementation of MNP-based interventions in clinical settings.

Furthermore, research efforts should be directed towards elucidating the long-term effects of MNP exposure on human health and the environment. Comprehensive studies are needed to assess potential toxicity, immunogenicity, and biodistribution of MNPs following repeated or prolonged exposure. In terms of future directions, advances in nanotechnology offer exciting possibilities for the development of next-generation MNPs with enhanced properties and functionalities. Innovative strategies, such as surface modification techniques and multifunctional nanocomposites, hold promise for overcoming existing limitations and unlocking new therapeutic potentials.

Additionally, the integration of MNP-assisted healing with emerging technologies, such as artificial intelligence and bioinformatics, could revolutionize treatment strategies in yoga and physiotherapy. By leveraging data-driven approaches and predictive modeling, practitioners can tailor MNP-based therapies to individual patient characteristics and optimize treatment outcomes. Overall, while challenges persist, the future of MNP-assisted healing in yoga and physiotherapy appears promising. With continued research, collaboration, and innovation, MNPs have the potential to become invaluable tools in the holistic management of musculoskeletal disorders, pain, and rehabilitation, ultimately improving the quality of life for patients worldwide.

Despite the promising potential of MNPs, challenges such as biocompatibility, targeting accuracy, and standardization of protocols need to be addressed. Future research should focus on optimizing MNP formulations, elucidating long-term safety profiles, and exploring novel applications in personalized medicine. Advances in nanotechnology offer exciting possibilities for developing next-generation MNPs with enhanced properties and functionalities. Integrating MNP-assisted healing with emerging technologies like artificial intelligence and bioinformatics could revolutionize treatment strategies in yoga and physiotherapy, offering tailored and optimized therapies for individual patients.

## **8. Conclusion**

In conclusion, magnetic nanoparticles (MNPs) have shown great potential in various physiotherapeutic applications, including magnetic hyperthermia, targeted drug delivery, and magnetofection. Their unique properties, such as superparamagnetism and high surface area, make them ideal for interacting with magnetic fields and biological systems. While research has made significant progress, further studies are needed to fully understand the mechanisms of action and to optimize MNPs for clinical use. Additionally, investigations into their long-term safety and efficacy are crucial for translating this technology into clinical practice. Nevertheless, MNPs hold promise for revolutionizing physiotherapy and improving patient outcomes.

Future directions for MNPs in physiotherapy include exploring their use in treating a range of conditions, such as musculoskeletal disorders, neurological conditions, and chronic pain. Additionally,

combining MNPs with other therapies, such as physical therapy and exercise, may enhance their effectiveness. The development of targeted and personalized MNP-based treatments could also lead to more precise and efficient care. Overall, the potential benefits of MNPs in physiotherapy are vast, and continued research and development are necessary to fully harness their therapeutic potential. As research advances, MNPs may become a valuable tool in the physiotherapist's toolkit, enabling more effective and efficient treatment of a range of conditions. The future of MNP-assisted healing in yoga and physiotherapy appears promising, with the potential to revolutionize physiotherapy and improve patient outcomes.

## Author contributions

Conceptualization, NZ and MA; methodology, NZ; software, NZ; validation, NZ, MA and HST; formal analysis, MS, HM, HST and FI; investigation, NZ and HM; resources, NZ; data curation, NZ; writing—original draft preparation, NZ; writing—review and editing, NZ; visualization, HM, MS, FI, HST and MA; supervision, NZ; project administration, NZ. All authors have read and agreed to the published version of the manuscript.

## Conflict of interest

The authors declare no conflict of interest.

## References

1. Friedrich RP, Cicha I, Alexiou C. Iron oxide nanoparticles in regenerative medicine and tissue engineering. *Nanomaterials*. 2021; 11(9): 2337. doi: 10.3390/nano11092337
2. Joudeh N, Linke D. Nanoparticle classification, physicochemical properties, characterization, and applications: a comprehensive review for biologists. *Journal of Nanobiotechnology*. 2022; 20(1): 262. doi: 10.1186/s12951-022-01477-8
3. Asoufi HM, Al-Antary TM, Awwad AM. Magnetite (Fe<sub>3</sub>O<sub>4</sub>) Nanoparticles Synthesis and Anti Green Peach Aphid Activity (Myzus persicae Sulzer). *Journal of Computational Biology*. 2018; 6(1). doi: 10.15640/jcb.v6n1a2
4. Avasthi A, Caro C, Pozo-Torres E, et al. Magnetic Nanoparticles as MRI Contrast Agents. *Topics in current chemistry (Cham)*. 2020; 378(3): 40. doi: 10.1007/s41061-020-00302-w
5. Liu S, Yu B, Wang S, et al. Preparation, surface functionalization and application of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles. *Advances in Colloid and Interface Science*. 2020; 102165. doi: 10.1016/j.cis.2020.102165
6. Mirza S, Ahmad MS, Shah MIA, Ateeq M. Magnetic nanoparticles: drug delivery and bioimaging applications. In: *Metal Nanoparticles for Drug Delivery and Diagnostic Applications*. Elsevier; 2020. pp. 189-213.
7. Nalbandian L, Patrikiadou E, Zaspalis V, et al. Magnetic Nanoparticles in Medical Diagnostic Applications: Synthesis, Characterization and Proteins Conjugation. *Current Nanoscience*. 2015; 12(4): 455-468. doi: 10.2174/1573413712666151210230002
8. Nacev A, Beni C, Bruno O, Shapiro B. Magnetic nanoparticle transport within flowing blood and into surrounding tissue. *Nanomedicine (London, England)*. 2010; 5(9): 1459-1466. doi: 10.2217/nnm.10.104
9. Garanina AS, Naumenko VA, Nikitin AA, et al. Temperature-controlled magnetic nanoparticles hyperthermia inhibits primary tumor growth and metastases dissemination. *Nanomedicine: Nanotechnology, Biology and Medicine*. 2020; 25: 102171. doi: 10.1016/j.nano.2020.102171
10. Gupta AK, Naregalkar RR, Vaidya VD, Gupta M. Recent advances on surface engineering of magnetic iron oxide nanoparticles and their biomedical applications. *Nanomedicine*. 2007; 2(1): 23-39. doi: 10.2217/17435889.2.1.23
11. Xia Y, Sun J, Zhao L, et al. Magnetic field and nano-scaffolds with stem cells to enhance bone regeneration. *Biomaterials*. 2018; 183: 151-170. doi: 10.1016/j.biomaterials.2018.08.040
12. Sensenig R, Sapir Y, MacDonald C, et al. Magnetic nanoparticle-based approaches to locally target therapy and enhance tissue regeneration in vivo. *Nanomedicine*. 2012; 7(9): 1425-1442. doi: 10.2217/nnm.12.109
13. Weaver JB, Ness DB, Fields J, et al. Identifying in vivo inflammation using magnetic nanoparticle spectra. *Physics in Medicine & Biology*. 2020; 65(12): 125003. doi: 10.1088/1361-6560/ab8afd

14. Zanganeh S, Hutter G, Spitler R, et al. Iron oxide nanoparticles inhibit tumour growth by inducing pro-inflammatory macrophage polarization in tumour tissues. *Nature nanotechnology*. 2016; 11(11): 986-994. doi: 10.1038/nnano.2016.168
15. Li X, Wang Y, Shi L, et al. Magnetic targeting enhances the cutaneous wound healing effects of human mesenchymal stem cell-derived iron oxide exosomes. *Journal of Nanobiotechnology*. 2020; 18(1): 113. doi: 10.1186/s12951-020-00670-x
16. Lu Z, Yu D, Nie F, et al. Iron Nanoparticles Open Up New Directions for Promoting Healing in Chronic Wounds in the Context of Bacterial Infection. *Pharmaceutics*. 2023; 15(9): 2327. doi: 10.3390/pharmaceutics15092327
17. Fuhrer R, Athanassiou EK, Luechinger NA, Stark WJ. Crosslinking metal nanoparticles into the polymer backbone of hydrogels enables preparation of soft, magnetic field-driven actuators with muscle-like flexibility. *Small*. 2009; 5(3): 383-388. doi: 10.1002/sml.200801091
18. Gao F, Li X, Zhang T, et al. Iron nanoparticles augmented chemodynamic effect by alternative magnetic field for wound disinfection and healing. *Journal of Controlled Release*. 2020; 324: 598-609. doi: 10.1016/j.jconrel.2020.06.003
19. Kusigerski V, Illes E, Blanus J, et al. Magnetic properties and heating efficacy of magnesium doped magnetite nanoparticles obtained by co-precipitation method. *Journal of Magnetism and Magnetic Materials*. 2019; 475: 470-478. doi: 10.1016/j.jmmm.2018.11.127
20. Alves D, Araújo JC, Fangueiro R, Ferreira DP. Localized Therapeutic Approaches Based on Micro/Nanofibers for Cancer Treatment. *Molecules*. 2023; 28(7): 3053. doi: 10.3390/molecules28073053
21. Blanco-Mantecon M, O'Grady K. Interaction and size effects in magnetic nanoparticles. *Journal of Magnetism and Magnetic Materials*. 2006; 296(2): 124-133. doi: 10.1016/j.jmmm.2004.11.580
22. Yang S, Jee S, Hwang SL, Sohn MK. Strengthening of quadriceps by neuromuscular magnetic stimulation in healthy subjects. *PM&R*. 2017; 9(8): 767-773. doi: 10.1016/j.pmrj.2016.12.002
23. Sun R, Chen H, Zheng J, et al. Composite scaffolds of gelatin and Fe<sub>3</sub>O<sub>4</sub> nanoparticles for magnetic hyperthermia-based breast cancer treatment and adipose tissue regeneration. *Advanced Healthcare Materials*. 2023; 12(9): 2202604. doi: 10.1002/adhm.202202604
24. Del Sol-Fernández S, Martínez-Vicente P, Gomollón-Zueco P, et al. Magnetogenetics: Remote activation of cellular functions triggered by magnetic switches. *Nanoscale*. 2022; 14(6): 2091-2118. doi: 10.1039/d1nr06303k
25. Wu PC, Hsiao HT, Lin YC, et al. The analgesia efficiency of ultrasmall magnetic iron oxide nanoparticles in mice chronic inflammatory pain model. *Nanomedicine: Nanotechnology, Biology and Medicine*. 2017; 13(6): 1975-1981. doi: 10.1016/j.nano.2017.05.005
26. Wu PC, Shieh DB, Hsiao HT, et al. Magnetic field distribution modulation of intrathecal delivered ketorolac iron-oxide nanoparticle conjugates produce excellent analgesia for chronic inflammatory pain. *Journal of Nanobiotechnology*. 2018; 16(1). doi: 10.1186/s12951-018-0375-9
27. Liu M, Yu W, Zhang F, et al. Fe<sub>3</sub>O<sub>4</sub>@Polydopamine-Labeled MSCs Targeting the Spinal Cord to Treat Neuropathic Pain Under the Guidance of a Magnetic Field. *International Journal of Nanomedicine*. 2021; 16: 3275-3292. doi: 10.2147/ijn.s296398
28. Hajba L, Guttman A. The use of magnetic nanoparticles in cancer theranostics: Toward handheld diagnostic devices. *Biotechnology Advances*. 2016; 34(4): 354-361. doi: 10.1016/j.biotechadv.2016.02.001
29. Yun SM, Kim M, Kwon YW, et al. Recent Advances in Wearable Devices for Non-Invasive Sensing. *Applied Sciences*. 2021; 11(3): 1235. doi: 10.3390/app11031235
30. Li Y, Liu X, Zhang Y, et al. A flexible wearable device coupled with injectable Fe<sub>3</sub>O<sub>4</sub> nanoparticles for capturing circulating tumor cells and triggering their deaths. *Biosensors and Bioelectronics*. 2023; 235: 115367. doi: 10.1016/j.bios.2023.115367
31. Ahmed A, Hassan I, Mosa IM, et al. An Ultra-Shapeable, Smart Sensing Platform Based on a Multimodal Ferrofluid - Infused Surface. *Advanced Materials*. 2019; 31(11). doi: 10.1002/adma.201807201
32. Ramasubramanian B, Reddy VS, Chellappan V, et al. Emerging Materials, Wearables, and Diagnostic Advancements in Therapeutic Treatment of Brain Diseases. *Biosensors*. 2022; 12(12): 1176. doi: 10.3390/bios12121176
33. Lin Y, Zhang K, Zhang R, et al. Magnetic nanoparticles applied in targeted therapy and magnetic resonance imaging: crucial preparation parameters, indispensable pre-treatments, updated research advancements and future perspectives. *Journal of Materials Chemistry B*. 2020; 8(28): 5973-5991. doi: 10.1039/d0tb00552e
34. Alavijeh AA, Barati M, Barati M, Dehkordi HA. The potential of magnetic nanoparticles for diagnosis and treatment of cancer based on body magnetic field and organ-on-the-chip. *Advanced pharmaceutical bulletin*. 2019; 9(3): 360-373. doi: 10.15171/apb.2019.043
35. Colbert AP, Wahbeh H, Harling N, et al. Static Magnetic Field Therapy: A Critical Review of Treatment Parameters. *Evidence-Based Complementary and Alternative Medicine*. 2009; 6: 392815. doi:

- 10.1093/ecam/nem131
36. Basford JR. A historical perspective of the popular use of electric and magnetic therapy. *Archives of Physical Medicine and Rehabilitation*. 2001; 82(9): 1261-1269. doi: 10.1053/apmr.2001.25905
37. Zhang X, Lang B, Yu W, et al. Magnetically induced anisotropic conductive hydrogels for multidimensional strain sensing and magnetothermal physiotherapy. *Chemical Engineering Journal*. 2023; 474: 145832. doi: 10.1016/j.cej.2023.145832
38. Etheridge ML, Bischof JC. Optimizing Magnetic Nanoparticle Based Thermal Therapies Within the Physical Limits of Heating. *Annals of Biomedical Engineering*. 2012; 41(1): 78-88. doi: 10.1007/s10439-012-0633-1
39. Kwak CJ, Kim YL, Lee SM. Effects of elastic-band resistance exercise on balance, mobility and gait function, flexibility and fall efficacy in elderly people. *Journal of Physical Therapy Science*. 2016; 28(11): 3189-3196. doi: 10.1589/jpts.28.3189
40. Rathleff MS, Bandholm T, McGirr KA, et al. New exercise-integrated technology can monitor the dosage and quality of exercise performed against an elastic resistance band by adolescents with patellofemoral pain: an observational study. *Journal of Physiotherapy*. 2016; 62(3): 159-163. doi: 10.1016/j.jphys.2016.05.016
41. Selva-Sarzo F, Fernández-Carnero S, Sillevs R, et al. The direct effect of magnetic tape® on pain and lower-extremity blood flow in subjects with low-back pain: a randomized clinical trial. *Sensors*. 2021; 21(19): 6517. doi: 10.3390/s21196517
42. Hillion A, Hallali N, Clerc P, et al. Real-time observation and analysis of magnetomechanical actuation of magnetic nanoparticles in cells. *Nano Letters*. 2022; 22(5): 1986-1991. doi: 10.1021/acs.nanolett.1c04738
43. Włodarczyk A, Gorgoń S, Radoń A, Bajdak-Rusinek K. Magnetite Nanoparticles in Magnetic Hyperthermia and Cancer Therapies: Challenges and Perspectives. *Nanomaterials (Basel, Switzerland)*. 2022; 12(11). doi: 10.3390/nano12111807
44. Szwed M, Marczak A. Application of Nanoparticles for Magnetic Hyperthermia for Cancer Treatment—The Current State of Knowledge. *Cancers*. 2024; 16(6): 1156. doi: 10.3390/cancers16061156
45. Kianfar E. Magnetic Nanoparticles in Targeted Drug Delivery: A Review. *Journal of Superconductivity and Novel Magnetism*. 2021; 34(7): 1709-1735. doi: 10.1007/s10948-021-05932-9
46. Kostevšek N. A Review on the Optimal Design of Magnetic Nanoparticle-Based T2 MRI Contrast Agents. *Magnetochemistry*. 2020; 6(1): 11. doi: 10.3390/magnetochemistry6010011
47. Bashar I, Ihab MO. Magnetic Nanoparticles as MRI Contrast Agents. In: Lachezar M (editor). *Magnetic Resonance Imaging*. Rijeka: IntechOpen; 2019. p. 4.
48. Peng E, Wang F, Xue JM. Nanostructured magnetic nanocomposites as MRI contrast agents. *Journal of Materials Chemistry B*. 2015; 3(11): 2241-2276. doi: 10.1039/c4tb02023e
49. Chen S, Saeed AFUH, Liu Q, et al. Macrophages in immunoregulation and therapeutics. *Signal Transduction and Targeted Therapy*. 2023; 8(1): 207. doi: 10.1038/s41392-023-01452-1
50. Ding H, Zhang Y, Mao Y, et al. Modulation of macrophage polarization by iron-based nanoparticles. *Medical Review*. 2023; 3(2): 105-122. doi: 10.1515/mr-2023-0002
51. Vilas-Boas V, Carvalho F, Espiña B. Magnetic Hyperthermia for Cancer Treatment: Main Parameters Affecting the Outcome of In Vitro and In Vivo Studies. *Molecules*. 2020; 25(12): 2874. doi: 10.3390/molecules25122874
52. Chung S, Revia RA, Zhang M. Iron oxide nanoparticles for immune cell labeling and cancer immunotherapy. *Nanoscale Horizons*. 2021; 6(9): 696-717. doi: 10.1039/d1nh00179e
53. Cheng HLM. A primer on in vivo cell tracking using MRI. *Frontiers in Medicine*. 2023;10.
54. Dobrovolskaia MA, McNeil SE. Immunological properties of engineered nanomaterials. *Nature Nanotechnology*. 2007; 2(8): 469-478. doi: 10.1038/nnano.2007.223
55. Singh N, Jenkins GJ, Asadi R, Doak SH. Potential toxicity of superparamagnetic iron oxide nanoparticles (SPION). *Nano Reviews*. 2010; 1: 5358. doi: 10.3402/nano.v1i0.5358
56. Shubayev VI, Pisanic TR, Jin S. Magnetic nanoparticles for theragnostics. *Advanced Drug Delivery Reviews*. 2009; 61(6): 467-477. doi: 10.1016/j.addr.2009.03.007
57. Mahmoudi M, Sant S, Wang B, et al. Superparamagnetic iron oxide nanoparticles (SPIONs): development, surface modification and applications in chemotherapy. *Advanced Drug Delivery Reviews*. 2011; 63(1-2): 24-46. doi: 10.1016/j.addr.2010.05.006